



Reaming head CRH 7/7S

Reaming diameter
2134 mm
84"



Pilot Hole		Reaming head Type	Integral head		Segmented head		Complete Without saddles Part No.	Complete With saddles Part No.
in	mm		Without saddles Part No.	With saddles Part No.	Base head Part No.	Segment Part No.		
11	279	CRH 7	7008-1021-20	7008-1021-30	-	-	-	-
		CRH 7S	-	-	7008-1421-21	7008-2101-20	7008-1421-20	7008-1421-30
12 1/4	311	CRH 7	7008-1021-20	7008-1021-30	-	-	-	-
		CRH 7S	-	-	7008-1421-21	7008-2101-20	7008-1421-20	7008-1421-30

Pilot Hole		Stem		Saddles	
in	mm	Part No.	Thread	Pcs	Part No.
11	279	7008-3428-30	8 1/4" DI-22	2	7008-2006
		7008-3431-30	8 1/4" DI-22	6	7008-2005
12 1/4	311	7008-3531-30	9 1/4" DI-22	4	7008-2007

Weights CRH 7	Kg lb	
	Stem 12 1/4"	1200
Head	2300	5070
Saddles	900	1980
Cutters	1200	2650
Total	5600	12350

Required cutters for different spacing					
Rock condition	Spacing		Cutter Type	Cutter Part No.	Pcs
	mm	in			
Soft to medium	51	2	CMR-41	7008-4141-76	6
			CMR-52	7008-4152-76	6
Medium to hard	25.5	1	CMR-41	7008-4141-76	6
			CMR-52	7008-4152-76	6

Weights CRH 7S	Kg lb	
	Stem 12 1/4"	1200
Base head	2200	3750
Segments	300	660
Saddles	900	1980
Cutters	1200	2650
Total	5800	12790